

# ACE VENTILATION

7/11 ELIZABETH STREET CAMPSIE NSW 2194

PHONE: (02) 9787 2533

EMAIL: enquiries@aceventilation.com.au



## Electrostatic Precipitator


### Model: BS-216Q-6K

Perfect Solution to Kitchen Exhaust Fume

<b>Cabinet</b>	1.5mm A3 Steel Sheet	<b>Cell/Each</b>	L: 600.5mm, W: 581.3mm, H: 240mm
<b>Finishing</b>	Epoxy Powder Coated, Blue and Yellow		Ionizing voltage: 14KVdc-16KVdc
<b>Air Volume</b>	6000cmh		Uses 2 Patented Cylindrical Honeycomb Structure
<b>Air Flow</b>	Left to Right, Right to Left		Filter Cells
<b>Static Pressure</b>	130 Pascal	<b>Efficiency</b>	More than 85%.
<b>Features</b>	High-performance Power Pack	<b>Weight</b>	140.4 Kg
	Soft Startup, Short Circuit Protection	<b>Power consumption</b>	550 Watts
	Invariable Current Output	<b>Input Voltage</b>	220Vac +/- 10%, 50 Hz
	Transformer Over-heated Protection	<b>Pre-filter</b>	Steel, Washable
	Power Over Loading Protection	<b>Installation</b>	Ceiling suspended, wall or frame mounted.
	Malfunction Diagnosis	<b>Options</b>	Remote on/off switch, indicator lights.
	Transformer Over-heated Protection	<b>Controls</b>	Auto cut-off when door is opened. Indicator lights for fault, normal or cleaning requirements.
	Arc Extinction and Auto Reposition		

**DIMENSIONS:** L\*W\*H: 735×1432×886 mm

A\*B: 1113×677 mm



# ACE VENTILATION

7/11 ELIZABETH STREET CAMPSIE NSW 2194

PHONE: (02) 9787 2533

EMAIL: enquiries@aceventilation.com.au

## ELECTROSTATIC FILTERS

### ELECTROSTATIC FILTER SPECIFICATION

AIR POLLUTION CONTROL SYSTEM DESIGNED FOR FOOD PREMISES TO ELIMINATE POLLUTION AND ODOUR  
IN LOW ALTITUDE EMISSIONS

DIMENSIONS: 735mmL X 1432mmW X 886mmH

WEIGHT :140.4kg

- Colour: dark blue and yellow
- Design: Modular
- Purification Efficiency: more than 85%
- Cabinet: A3 mild steel
- Option: Auto-cleaning device
- Function: Fume Filter for Commercial Kitchen
- Type: Electrostatic Precipitators (ESP)
- Applications: Hotels, commercial kitchens etc.



MODEL: BS-216Q-6K

FOR CHARCOAL & CHAR-GRILL COOKING CONSULT OUR ENGINEER FOR CORRECT SIZING AND ALSO IF THE AIR VOLUME REQUIRED IS HIGHER THAN 3400L/s.

